


**THE AMENDMENT**

**In the Claims:**

1. (Currently Amended) A compound of Formula I:




Formula I

or a pharmaceutically acceptable salt thereof,

wherein R is substituted or unsubstituted aryl, heteroaryl, cycloalkyl, heterocyclic, alkoxy, cycloalkoxy, aryloxy, heteroaryloxy, alkylamino, cycloalkylamino, arylamino, heteroarylamino; or

R is



wherein X' and X'' are each independently hydrogen, hydroxy or fluoro, provided when one of X' and X'' is fluoro, the other is not hydroxy; or

X' and X'' together form an oxo group,

Z is selected from the group consisting of alkyl, nitrogen, oxygen, sulfur and a bond covalently linking R<sub>1</sub> to -CX'X''-

R<sub>1</sub> is selected from the group consisting of hydrogen, substituted or unsubstituted alkyl, alkenyl, aryl, cycloalkyl, cycloalkenyl, heteroaryl, and heterocyclic;

R<sub>2</sub> is selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>4</sub> alkyl, ~~alkylalkoxy, alkylthioalkoxy~~, -COOR<sub>2a</sub>, and -COR<sub>2a</sub> wherein R<sub>2a</sub> is hydrogen, C<sub>1-4</sub> alkyl, cycloalkyl, or heterocycle;

R<sub>3</sub> is H, substituted or unsubstituted, linear-, branched- or ~~cyclo-alkyl~~ alkyl, cycloalkyl, or substituted or unsubstituted phenyl;

R<sub>5</sub> is -Y-R<sub>6</sub>, wherein Y is substituted or unsubstituted alkyl, alkenyl, aryl, cycloalkyl, cycloalkenyl, heteroaryl, heterocyclic, or a bond; and


R<sub>6</sub> is substituted or unsubstituted aryl, heteroaryl, cycloalkyl, heterocycle, heterocycloalkyl, aryloxy, heteroaryl N-oxide, or arylsulfide;

provided when Y is a bond, then either R<sub>6</sub> is cycloalkyl, or R<sub>2</sub> is alkylalkoxy or alkylthioalkoxy.

2. (Original) The compound of Claim 1, wherein R = -CR<sub>1</sub>X'X'', X' is H or OH, X'' is H, and R<sub>1</sub> is aryl or substituted aryl.

3. (Original) The compound of Claim 1, wherein R<sub>3</sub> is H or t-butyl.

4. (Currently Amended) A compound of Formula II:




Formula II

wherein R<sub>1</sub> is aryl, or substituted aryl; X' is H or OH; R<sub>2</sub> is CH<sub>3</sub>, R<sub>3</sub> is H, or t-butyl; R<sub>7</sub> is aryl, substituted aryl, or ~~U-aryl~~ U-aryl, wherein U is O or CH<sub>2</sub>; and R<sub>8</sub> and R<sub>9</sub> are independently H, or alkyl.

5. (Original) A pharmaceutical formulation comprising the compound according to Claim 1 and a pharmaceutically acceptable carrier.
6. (Original) A method for inhibiting  $\beta$ -amyloid peptide release or synthesis in a cell comprising administering to said cell a compound according to Claim 1, in an amount effective in inhibiting the cellular release and/or synthesis of  $\beta$ -amyloid peptide.
7. (Original) A method for inhibiting  $\gamma$ -secretase activity comprising administering to a host an effective amount of the compound according to Claim 1.
8. (Original) A method for treating or preventing a neurological disorder associated with  $\beta$ -amyloid peptide production comprising administering to a host a pharmaceutical formulation comprising a therapeutically effective amount of the compound according to Claim 1.
9. (Original) The method according to Claim 8, wherein said neurological disorder is Alzheimer's disease.
10. (New) The compound of Claim 3, wherein  $R_2$  is methyl.
11. (New) The compound of Claim 10, wherein Y is  $-\text{CH}_2-\text{CH}_2-$ ;  $\text{CH}_3-\text{CH}<$ ;  $-\text{CH}(\text{CH}_3)-$ ;  $-\text{C}(\text{CH}_3)_2\text{CH}_2-$ ;  $\text{CH}_3-\text{CH}(\text{phenyl})<$ ;  $>\text{CH}(\text{phenyl})$ ; or  $-\text{CH}=\text{CH}-$ .
12. (New) The compound of Claim 2, wherein  $R_1$  is 3,5-difluorophenyl.


13. (New) A compound of Formula II:



Formula II

wherein R<sub>1</sub> is aryl or heteroaryl, cycloalkyl, or heterocycle, optionally substituted with one or more of -F, -Cl, -Br, -OH, -CF<sub>3</sub>, C<sub>1-6</sub> alkyl; C<sub>1-3</sub> alkoxy and methylenedioxy, X' is H or -OH; R<sub>3</sub> is H, or t-butyl; R<sub>7</sub> is aryl or U-aryl optionally substituted with one or more groups consisting of C<sub>1-6</sub> alkyl, chloro, fluoro, bromo, -NO<sub>2</sub>, C<sub>1-3</sub> alkoxy, -CF<sub>3</sub>, -N(R<sub>7a</sub>)<sub>2</sub>, C(O)R<sub>7a</sub>, C(O)N(R<sub>7a</sub>)<sub>2</sub>, and -NHC(O)R<sub>7a</sub>, wherein each R<sub>7a</sub> is independently chosen from H and C<sub>1-6</sub> alkyl, U is O, -CH<sub>2</sub>- or S; and R<sub>8</sub> and R<sub>9</sub> are each independently C<sub>1-6</sub> alkyl.

14. (New) The compound of Claim 13, wherein R<sub>3</sub> is H and R<sub>8</sub> and R<sub>9</sub> are both methyl.
15. (New) The compound of Claim 13, wherein R<sub>1</sub> is 3,5-difluorophenyl and X' is hydroxyl.
16. (New) A compound of Formula III



Formula III

wherein R<sub>1</sub> is aryl, heteroaryl, cycloalkyl or heterocycle optionally substituted with one or more of -F, -Cl, -Br, -OH, -CF<sub>3</sub>, C<sub>1-6</sub> alkyl; C<sub>1-3</sub> alkoxy and methylenedioxy, X' is H or -OH; R<sub>3</sub> is H, or t-butyl; R<sub>7</sub> is aryl, heteroaryl, cycloalkyl or heterocycle optionally substituted with one or more groups consisting of C<sub>1-6</sub> alkyl, chloro, fluoro, bromo, -NO<sub>2</sub>, C<sub>1-3</sub> alkoxy, -CF<sub>3</sub>, -N(R<sub>7a</sub>)<sub>2</sub>,

$C(O)R_{7a}$  and  $-C(O)N(R_{7a})_2$ ,  $-NHC(O)R_{7a}$ , wherein each  $R_{7a}$  is independently chosen from H and  $C_{1-6}$  alkyl, and ring A is a cycloalkyl ring having 3 to 10 carbon atoms or is a heterocycle having 5 to 7 atoms chosen from carbon, nitrogen, oxygen and sulfur, and is optionally substituted with at least one of  $C_{1-6}$  alkyl or  $C_{3-10}$  cycloalkyl.

17. (New) The compound of Claim 16, wherein ring A is optionally substituted cyclopropyl, cyclopentyl, cyclohexyl, piperidinyl, pyrrolidinyl, furanyl, or pyranyl.

18. (New) The compound of Claim 17, wherein  $R_3$  is H,  $R_1$  is 3,5-difluorophenyl and  $X'$  is hydroxyl.

19. (New) The compound of Claim 13, wherein  $R_7$  is aryl optionally substituted with one or more groups consisting of  $C_{1-6}$  alkyl, chloro, fluoro, bromo,  $-NO_2$ ,  $C_{1-3}$  alkoxy,  $-CF_3$ ,  $-N(R_{7a})_2$ ,  $C(O)R_{7a}$  and  $-C(O)N(R_{7a})_2$ ,  $-NHC(O)R_{7a}$ , wherein each  $R_{7a}$  is independently chosen from H and  $C_{1-6}$  alkyl.

20. (New) The compound of Claim 1 chosen from the group consisting of: N-[2-*tert*-butyl-5-(1-methyl-4-phenylpiperidin-4-yl)-2*H*-pyrazol-3-yl]-2-[2-(3,5-difluorophenyl)-2-hydroxyacetyl-amino]propionamide, 2-[2-(3,5-difluorophenyl)-2-hydroxyacetyl-amino]-N-[5-(1-methyl-4-phenylpiperidin-4-yl)-2*H*-pyrazol-3-yl]propionamide, 2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-phenyl-cyclopropyl)-2*H*-pyrazol-3-yl]-propionamide, 2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-phenyl-cyclopentyl)-2*H*-pyrazol-3-yl]-propionamide, N-{5-[1-(4-chloro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, N-{5-[1-(4-nitro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, 2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1,1-diphenyl-ethyl)-2*H*-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-(5-styryl-2*H*-pyrazol-3-yl)-propionamide, N-{5-[1-(4-Amino-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, N-{5-[1-(4-Acetyl-amino-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-

hydroxy-acetyl-amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(4-fluoro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(4-chloro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-phenyl-cyclohexyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(2-fluoro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(2-fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(3,5-dimethyl-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(2,4-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(2-methyl-2-phenyl-propyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(4-trifluoromethyl-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, Pyridine-2-carboxylic acid (1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-amide, Isoquinoline-1-carboxylic acid (1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-amide, 3-Methyl-N-{1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-butyramide, N-{1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-butyramide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(4-dimethyl-amino-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-(2-Dimethyl-amino-acetyl-amino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 1,2,3,4-Tetrahydro-isoquinoline-3-carboxylic acid {1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-amide, N-{5-[1-(4-Chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-methyl-amino-acetyl-amino)-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2(S)-hydroxy-acetyl-amino]-N-[5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2(R)-hydroxy-acetyl-amino]-N-[5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, N-{1-[5-(1,1-Dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-2-hydroxy-3-methyl-butylamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-2-hydroxy-3-methyl-butylamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(4-phenyl-tetrahydro-pyran-4-yl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-

pyrazol-3-yl}-propionamide, 2-Chloro-N-(1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-benzamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-2-trifluoromethyl-benzamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-hydroxy-2-(2-trifluoromethyl-phenyl)-acetylamino]-propionamide, 2-[2-(4-tert-Butyl-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(4-tert-Butyl-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3-Chloro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-2-p-tolyl-acetylamino)-propionamide, 2-[2-(4-Chloro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-hydroxy-2-(4-methoxy-phenyl)-acetylamino]-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-hydroxy-2-(4-trifluoromethyl-phenyl)-acetylamino]-propionamide, 2-[2-(2-Chloro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(4-Chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-cyclohexylamino)-propionamide, N-(1-{5-[1-(4-Fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-2-hydroxy-3-methyl-butyramide, N-{2-tert-Butyl-5-[1-(4-fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, {1-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-carbamic acid tert-butyl ester, N-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-2-phenylacetylamino-propionamide, N-{1-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-butyramide, N-[2-tert-Butyl-5-(4-phenyl-tetrahydro-pyran-4-yl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-(1-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-3-trifluoromethyl-benzamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(4-tert-butyl-phenyl)-2-hydroxy-

acetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3-chloro-phenyl)-2-hydroxy-acetylamino]-propionamide, 2-(2-Cyclohexyl-2-hydroxy-acetylamino)-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(4-fluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-2-phenyl-acetylamino)-propionamide, 2-(2-Hydroxy-2-phenyl-acetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-(2-Cyclohexyl-2-hydroxy-acetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, [2-(3,5-Difluoro-phenyl)-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-(2-Cyclohexyl-acetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}carbamoyl)-ethyl)-3-methyl-3-phenyl-butyramide, (2-Benzo[1,3]dioxol-5-yl-acetylamino)-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(4-Chloro-phenyl)-2-hydroxy-acetylamino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(2,3-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Dimethoxy-phenyl)-acetylamino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Bis-trifluoromethyl-phenyl)-acetylamino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-(2-Benzo[1,3]dioxol-5-yl-acetylamino)-N-{2-tert-butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-hydroxy-2-(4-trifluoromethyl-phenyl)-acetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-acetylamino]-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(4-chloro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-(2-cyclohexyl-acetylamino)-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(2,3-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-2-phenyl-acetylamino)-propionamide N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-(2-hydroxy-2-phenyl-acetylamino)-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-(2-cyclohexyl-2-hydroxy-acetylamino)-propionamide, N-(5-Cyclopentyl-2H-pyrazol-3-yl)-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-



propionamide, 2-[2-(3,5-Difluorophenyl)-2-hydroxy-acetyl-amino]-*N*-[5-(1-methyl-1-phenylethyl)-2*H*-pyrazol-3-yl]-propionamide, (2*S*)-2-(3,4-Dichlorophenylamino)-*N*-{5-[1-(3,5-difluorophenyl)-1-methylethyl]-2*H*-pyrazol-3-yl}-propionamide, 2-(3,5-Difluoro-phenyl)-2-hydroxy-*N*-{[5-(1-methyl-1-phenylethyl)-2*H*-pyrazol-3-yl]-carbamoyl}-thiophen-2-yl-methyl}-acetamide, *N*-[5-(1-Cyclopropyl-4-phenylpiperidin-4-yl)-2*H*-pyrazol-3-yl]-2-[2'-(3,5-difluorophenyl)-2'-hydroxyacetyl-amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-*N*-[5-(1-methyl-1-pyridin-3-yl-ethyl)-2*H*-pyrazol-3-yl]-propionamide, *N*-{5-[1-(3-Chloro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-*N*-{5-[1-(3,4-difluoro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-*N*-{5-[1-(3-fluoro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-propionamide 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-*N*-{5-[1-methyl-1-(3-trifluoromethyl-phenyl)-ethyl]-2*H*-pyrazol-3-yl}-propionamide, *N*-{5-[1-(3,4-Dichloro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-*N*-{5-[1-(3-methoxy-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-propionamide, *N*-{5-[1-(4-Chlorophenylsulfanyl)-1-methylethyl]-2*H*-pyrazol-3-yl}-2-[2-(3,5-difluorophenyl)-2-hydroxyacetyl-amino]-propionamide, 2-Hydroxy-3-methyl-*N*-{1-[5-(1-methyl-1-phenylethyl)-2*H*-pyrazol-3-yl]-carbamoyl}ethyl}-butyramide, 2-Acetyl-amino-*N*-[5-(1,1-dimethyl-2-phenylethyl)-2*H*-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-oxo-acetyl-amino]-*N*-[5-(1-methyl-4-phenylethyl)-2*H*-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-hydroxyacetyl-amino]-*N*-[5-(1-methyl-1-phenylethyl)-2*H*-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-hydroxyacetyl-amino]-*N*-[5-(1-methyl-1-phenylethyl)-2*H*-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-hydroxyacetyl-amino]-*N*-[5-[1-2,3-difluorophenyl)-1-methylethyl]-2*H*-pyrazol-3-yl]-propionamide, *N*-[5-(1-Cyclohexyl-1-methyl-ethyl)-2*H*-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, 2-(3-Butyl-ureido)-*N*-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2*H*-pyrazol-3-yl}-propionamide and 2-(3,4-Dichlorophenylamino)-*N*-{5-[1-(3,5-difluorophenyl)-1-methylethyl]-2*H*-pyrazol-3-yl}-propionamide.